

References for Products 360-378

1. Nagatoishi S, Nojima T, Galezowska E, Juskowiak B, Takenaka S. (2006) G Quadruplex-Based FRET Probes with the Thrombin-Binding Aptamer (TBA) Sequence Designed for the Efficient Fluorometric Detection of the Potassium Ion. *Chembiochem*, 7, 1730.
2. Fischer R, Bachle D, Fotin-Mleczek M, Jung G, Kalbacher H, Brock R. (2006) A targeted protease substrate for a quantitative determination of protease activities in the endolysosomal pathway. *Chembiochem*, 7, 1428.
3. Wang G, Zhang B, Wayment JR, Harris JM, White HS. (2006) Electrostatic-gated transport in chemically modified glass nanopore electrodes. *J Am Chem Soc*, 128, 7679.
4. Maruyama T, Shinohara T, Hosogi T, Ichinose H, Kamiya N, Goto M. (2006) Masking oligonucleotides improve sensitivity of mutation detection based on guanine quenching. *Anal Biochem*, 354, 8.
5. Wu ZS, Jiang JH, Fu L, Shen GL, Yu RQ. (2006) Optical detection of DNA hybridization based on fluorescence quenching of tagged oligonucleotide probes by gold nanoparticles. *Anal Biochem*, 353, 22.
6. Aslan K, Huang J, Wilson GM, Geddes CD. (2006) Metal-enhanced fluorescence-based RNA sensing. *J Am Chem Soc*, 128, 4206.
7. Nakayama GR, Bingham P, Tan D, Maegley KA. (2006) A fluorescence polarization assay for screening inhibitors against the ribonuclease H activity of HIV-1 reverse transcriptase. *Anal Biochem*, 351, 260.
8. Juskowiak B, Galezowska E, Zawadzka A, Gluszynska A, Takenaka S. (2006) Fluorescence anisotropy and FRET studies of G-quadruplex formation in presence of different cations. *Spectrochim Acta A Mol Biomol Spectrosc*, 64, 835.
9. Roman GT, McDaniel K, Culbertson CT. (2006) High efficiency micellar electrokinetic chromatography of hydrophobic analytes on poly(dimethylsiloxane) microchips. *Analyst*, 131, 194.
10. Eberth A, Dvorsky R, Becker CF, Beste A, Goody RS, Ahmadian MR. (2005) Monitoring the real-time kinetics of the hydrolysis reaction of guanine nucleotide-binding proteins. *Biol Chem*, 386, 1105.
11. Maruyama T, Shinohara T, Ichinose H, Kitaoka M, Okamura N, Kamiya N, Goto M. (2005) Mutation detection in DNA oligonucleotides based on a Guanine quenching method coupled with enzymatic digestion of single-stranded DNA. *Biotechnol Lett*, 27, 1349.
12. Zhu P, Clamme JP, Deniz AA. (2005) Fluorescence quenching by TEMPO: a sub-30 Å single-molecule ruler. *Biophys J*, 89, L37.
13. Zhang ZW, Zhou YM, Zhang Y, Guo Y, Tao SC, Li Z, Zhang Q, Cheng J. (2005) Sensitive detection of SARS coronavirus RNA by a novel asymmetric multiplex nested RT-PCR amplification coupled with oligonucleotide microarray hybridization. *Methods Mol Med*, 114, 59.
14. Law B, Weissleder R, Tung CH. (2005) Mechanism-based fluorescent reporter for protein kinase A detection. *Chembiochem*, 6, 1361.
15. Tirat A, Schilb A, Riou V, Leder L, Gerhartz B, Zimmermann J, Worpenberg S, Eidhoff U, Freuler F, Stettler T, Mayr L, Ottl J, Leuenberger B, Filipuzzi I. (2005) Synthesis and characterization of fluorescent ubiquitin derivatives as highly sensitive substrates for the deubiquitinating enzymes UCH-L3 and USP-2. *Anal Biochem*, 343, 244.
16. Kukowska-Latallo JF, Candido KA, Cao Z, Nigavekar SS, Majoros IJ, Thomas TP, Balogh LP, Khan MK, Baker JR, Jr. (2005) Nanoparticle targeting of anticancer drug improves therapeutic response in animal model of human epithelial cancer. *Cancer Res*, 65, 5317.
17. Viht K, Vaasa A, Raidaru G, Enkvist E, Uri A. (2005) Fluorometric TLC assay for evaluation of protein kinase inhibitors. *Anal Biochem*, 340, 165.
18. Unruh JR, Gokulrangan G, Wilson GS, Johnson CK. (2005) Fluorescence properties of fluorescein, tetramethylrhodamine and Texas Red linked to a DNA aptamer. *Photochem Photobiol*, 81, 682.

19. Maag D, Fekete CA, Gryczynski Z, Lorsch JR. (2005) A conformational change in the eukaryotic translation preinitiation complex and release of eIF1 signal recognition of the start codon. *Mol Cell*, 17, 265.
20. Takada T, Matsumoto K, Nomoto K. (2004) Development of multi-color FISH method for analysis of seven *Bifidobacterium* species in human feces. *J Microbiol Methods*, 58, 413.
21. Blommel P, Hanson GT, Vogel KW. (2004) Multiplexing fluorescence polarization assays to increase information content per screen: applications for screening steroid hormone receptors. *J Biomol Screen*, 9, 294.
22. Suzuki S, Egami K, Sasajima K, Ghazizadeh M, Shimizu H, Watanabe H, Hasegawa H, Iida S, Matsuda T, Okihama Y, Hosone M, Shimizu K, Kawanami O, Tajiri T. (2004) Comparative study between DNA copy number aberrations determined by quantitative microsatellite analysis and clinical outcome in patients with stomach cancer. *Clin Cancer Res*, 10, 3013.
23. Wang Y, Zhang WH, Zhao JR, Luo M, Zhang ZX, Bai YJ, Yan XJ. (2004) [Detection of KatG 315 gene mutation associated with isoniazid resistance in *Mycobacterium* tuberculosis by template-directed dye-terminator incorporation with fluorescence polarization detection technology]. *Zhonghua Jie He He Hu Xi Za Zhi*, 27, 179.
24. Molenaar C, Abdulle A, Gena A, Tanke HJ, Dirks RW. (2004) Poly(A)+ RNAs roam the cell nucleus and pass through speckle domains in transcriptionally active and inactive cells. *J Cell Biol*, 165, 191.
25. Erker W, Lippitz M, Basche T, Decker H. (2004) Toward oxygen binding curves of single respiratory proteins. *Micron*, 35, 111.
26. Twist CR, Winson MK, Rowland JJ, Kell DB. (2004) Single-nucleotide polymorphism detection using nanomolar nucleotides and single-molecule fluorescence. *Anal Biochem*, 327, 35.
27. Fuller ME, Mailloux BJ, Streger SH, Hall JA, Zhang P, Kovacik WP, Vainberg S, Johnson WP, Onstott TC, DeFlaun MF. (2004) Application of a vital fluorescent staining method for simultaneous, near-real-time concentration monitoring of two bacterial strains in an Atlantic coastal plain aquifer in Oyster, Virginia. *Appl Environ Microbiol*, 70, 1680.
28. Fuchs SM, Raines RT. (2004) Pathway for polyarginine entry into mammalian cells. *Biochemistry*, 43, 2438.
29. Ouchi T, Yamabe E, Hara K, Hirai M, Ohya Y. (2004) Design of attachment type of drug delivery system by complex formation of avidin with biotinyl drug model and biotinyl saccharide. *J Control Release*, 94, 281.
30. Fogarty K, Van Orden A. (2003) Two-beam fluorescence cross-correlation spectroscopy for simultaneous analysis of positive and negative ions in continuous-flow capillary electrophoresis. *Anal Chem*, 75, 6634.
31. Wright PA, Boyd HF, Bethell RC, Busch M, Gribbon P, Kraemer J, Lopez-Calle E, Mander TH, Winkler D, Benson N. (2002) Development of a 1-microl scale assay for mitogen-activated kinase kinase 7 using 2-D fluorescence intensity distribution analysis anisotropy. *J Biomol Screen*, 7, 419.
32. Miyashiro H, Kimura T, Tomiyama M, Hattori M. (2000) Analysis of the RNase H activity by fluorescence resonance energy transfer. *Nucleic Acids Symp Ser*, 55.
33. Chang SY, Lin WC. (2003) Determination of vigabatrin by capillary electrophoresis with laser-induced fluorescence detection. *J Chromatogr B Analyt Technol Biomed Life Sci*, 794, 17.
34. Kim WJ, Ishihara T, Akaike T, Maruyama A. (2001) Polycation graft copolymers accelerating DNA strand exchange: involvement of ionic interaction. *Nucleic Acids Res Suppl*, 151.
35. Ellerkmann RK, Remy S, Chen J, Sochivko D, Elger CE, Urban BW, Becker A, Beck H. (2003) Molecular and functional changes in voltage-dependent Na(+) channels following pilocarpine-induced status epilepticus in rat dentate granule cells. *Neuroscience*, 119, 323.
36. Takenaka S, Ueyama H, Nojima T, Takagi M. (2003) Comparison of potassium ion preference of potassium-sensing oligonucleotides, PSO-1 and PSO-2, carrying the human and *Oxytricha* telomeric sequence, respectively. *Anal Bioanal Chem*, 375, 1006.

37. Beltz H, Azoulay J, Bernacchi S, Clamme JP, Ficheux D, Roques B, Darlix JL, Mely Y. (2003) Impact of the terminal bulges of HIV-1 cTAR DNA on its stability and the destabilizing activity of the nucleocapsid protein NCp7. *J Mol Biol*, 328, 95.
38. Kirby ML, Lawson A, Stadt HA, Kumiski DH, Wallis KT, McCraney E, Waldo KL, Li YX, Schoenwolf GC. (2003) Hensen's node gives rise to the ventral midline of the foregut: implications for organizing head and heart development. *Dev Biol*, 253, 175.
39. Zhang Y, Crothers DM. (2003) High-throughput approach for detection of DNA bending and flexibility based on cyclization. *Proc Natl Acad Sci U S A*, 100, 3161.
40. Edelman LM, Cheong R, Kahn JD. (2003) Fluorescence resonance energy transfer over approximately 130 basepairs in hyperstable lac repressor-DNA loops. *Biophys J*, 84, 1131.
41. Bernacchi S, Piemont E, Potier N, Dorsselaer A, Mely Y. (2003) Excitonic heterodimer formation in an HIV-1 oligonucleotide labeled with a donor-acceptor pair used for fluorescence resonance energy transfer. *Biophys J*, 84, 643.
42. Ueyama H, Takagi M, Takenaka S. (2002) A novel potassium sensing in aqueous media with a synthetic oligonucleotide derivative. Fluorescence resonance energy transfer associated with Guanine quartet-potassium ion complex formation. *J Am Chem Soc*, 124, 14286.
43. Fountain KJ, Gilar M, Budman Y, Gebler JC. (2003) Purification of dye-labeled oligonucleotides by ion-pair reversed-phase high-performance liquid chromatography. *J Chromatogr B Analyt Technol Biomed Life Sci*, 783, 61.
44. Gallard A, Foucras G, Coureau C, Guery JC. (2002) Tracking T cell clonotypes in complex T lymphocyte populations by real-time quantitative PCR using fluorogenic complementarity-determining region-3-specific probes. *J Immunol Methods*, 270, 269.
45. Arezi B, Hansen CJ, Hogrefe HH. (2002) Efficient and high fidelity incorporation of dye-terminators by a novel archaeal DNA polymerase mutant. *J Mol Biol*, 322, 719.
46. Walton TA, Lytle MH, Dick DJ, Cook RM. (2002) Evaluation of new linkers and synthetic methods for internal modified oligonucleotides. *Bioconjug Chem*, 13, 1155.
47. Fischer R, Waizenegger T, Kohler K, Brock R. (2002) A quantitative validation of fluorophore-labelled cell-permeable peptide conjugates: fluorophore and cargo dependence of import. *Biochim Biophys Acta*, 1564, 365.
48. Ryu DH, Litovchick A, Rando RR. (2002) Stereospecificity of aminoglycoside-ribosomal interactions. *Biochemistry*, 41, 10499.
49. Cohen PL, Caricchio R, Abraham V, Camenisch TD, Jennette JC, Roubey RA, Earp HS, Matsushima G, Reap EA. (2002) Delayed apoptotic cell clearance and lupus-like autoimmunity in mice lacking the c-mer membrane tyrosine kinase. *J Exp Med*, 196, 135.
50. Dietrich A, Buschmann V, Muller C, Sauer M. (2002) Fluorescence resonance energy transfer (FRET) and competing processes in donor-acceptor substituted DNA strands: a comparative study of ensemble and single-molecule data. *J Biotechnol*, 82, 211.
51. Yano Y, Takemoto T, Kobayashi S, Yasui H, Sakurai H, Ohashi W, Niwa M, Futaki S, Sugiura Y, Matsuzaki K. (2002) Topological stability and self-association of a completely hydrophobic model transmembrane helix in lipid bilayers. *Biochemistry*, 41, 3073.
52. Slateva K, Elsner HA, Albis-Camps M, Blasczyk R. (2001) HLA-DRB fluorotyping by dark quenching and automated analysis. *Tissue Antigens*, 58, 250.
53. Kourentzi KD, Fox GE, Willson RC. (2001) Microbial detection with low molecular weight RNA. *Curr Microbiol*, 43, 444.
54. Gromadzinska E, Lachowicz L, Walkowiak B, Zylinska L. (2001) Calmodulin effect on purified rat cortical plasma membrane Ca(2+)-ATPase in different phosphorylation states. *Biochim Biophys Acta*, 1549, 19.
55. Ryu DH, Rando RR. (2001) Aminoglycoside binding to human and bacterial A-Site rRNA decoding region constructs. *Bioorg Med Chem*, 9, 2601.
56. Hsu TM, Law SM, Duan S, Neri BP, Kwok PY. (2001) Genotyping single-nucleotide polymorphisms by the invader assay with dual-color fluorescence polarization detection. *Clin Chem*, 47, 1373.
57. Evans NA, Groarke DA, Warrack J, Greenwood CJ, Dodgson K, Milligan G, Wilson S. (2001) Visualizing differences in ligand-induced beta-arrestin-GFP interactions and

- trafficking between three recently characterized G protein-coupled receptors. *J Neurochem*, 77, 476.
58. Sun YB, Hilber K, Irving M. (2001) Effect of active shortening on the rate of ATP utilisation by rabbit psoas muscle fibres. *J Physiol*, 531, 781.
59. Doll MA, Hein DW. (2001) Comprehensive human NAT2 genotype method using single nucleotide polymorphism-specific polymerase chain reaction primers and fluorogenic probes. *Anal Biochem*, 288, 106.
60. Kelemen BR, Schultz LW, Sweeney RY, Raines RT. (2000) Excavating an active site: the nucleobase specificity of ribonuclease A. *Biochemistry*, 39, 14487.
61. van Eekelen JA, Shammas FV, Wee L, Heikkila R, Osland A. (2000) Quantitative analysis of cytokeratin 20 gene expression using RT-PCR and capillary electrophoresis with fluorescent DNA detection. *Clin Biochem*, 33, 457.
62. Schutz E, von Ahsen N, Oellerich M. (2000) Genotyping of eight thiopurine methyltransferase mutations: three-color multiplexing, "two-color/shared" anchor, and fluorescence-quenching hybridization probe assays based on thermodynamic nearest-neighbor probe design. *Clin Chem*, 46, 1728.
63. Meyer-Almes FJ, Auer M. (2000) Enzyme inhibition assays using fluorescence correlation spectroscopy: a new algorithm for the derivation of kcat/KM and Ki values at substrate concentrations much lower than the Michaelis constant. *Biochemistry*, 39, 13261.
64. Singh KK, Rucker T, Hanne A, Parwaresch R, Krupp G. (2000) Fluorescence polarization for monitoring ribozyme reactions in real time. *Biotechniques*, 29, 344.
65. Kask P, Palo K, Fay N, Brand L, Mets U, Ullmann D, Jungmann J, Pschorr J, Gall K. (2000) Two-dimensional fluorescence intensity distribution analysis: theory and applications. *Biophys J*, 78, 1703.
66. Mizugaki M, Hiratsuka M, Agatsuma Y, Matsubara Y, Fujii K, Kure S, Narisawa K. (2000) Rapid detection of CYP2C18 genotypes by real-time fluorescence polymerase chain reaction. *J Pharm Pharmacol*, 52, 199.
67. Anderson KI, Cross R. (2000) Contact dynamics during keratocyte motility. *Curr Biol*, 10, 253.
68. Nasarabadi S, Milanovich F, Richards J, Belgrader P. (1999) Simultaneous detection of TaqMan probes containing Fam and Tamra reporter fluorophores. *Biotechniques*, 27, 1116.
69. Kask P, Palo K, Ullmann D, Gall K. (1999) Fluorescence-intensity distribution analysis and its application in biomolecular detection technology. *Proc Natl Acad Sci U S A*, 96, 13756.
70. Hoogerhout P, Stittelaar KJ, Brugghe HF, Timmermans JA, ten Hove GJ, Jiskoot W, Hoekman JH, Roholl PJ. (1999) Solid-phase synthesis and application of double-fluorescent-labeled lipopeptides, containing a CTL-epitope from the measles fusion protein. *J Pept Res*, 54, 436.
71. Lorenz M, Hillisch A, Payet D, Buttinelli M, Travers A, Diekmann S. (1999) DNA bending induced by high mobility group proteins studied by fluorescence resonance energy transfer. *Biochemistry*, 38, 12150.
72. Kelemen BR, Klink TA, Behlke MA, Eubanks SR, Leland PA, Raines RT. (1999) Hypersensitive substrate for ribonucleases. *Nucleic Acids Res*, 27, 3696.
73. Hunt G, Nashabeh W. (1999) Capillary electrophoresis sodium dodecyl sulfate nongel sieving analysis of a therapeutic recombinant monoclonal antibody: a biotechnology perspective. *Anal Chem*, 71, 2390.
74. Cho J, Rando RR. (1999) Specificity in the binding of aminoglycosides to HIV-RRE RNA. *Biochemistry*, 38, 8548.
75. Babon JJ, McKenzie M, Cotton RG. (1999) Mutation detection using fluorescent enzyme mismatch cleavage with T4 endonuclease VII. *Electrophoresis*, 20, 1162.
76. Carlson SA, Bolton LF, Briggs CE, Hurd HS, Sharma VK, Fedorka-Cray PJ, Jones BD. (1999) Detection of multiresistant *Salmonella typhimurium* DT104 using multiplex and fluorogenic PCR. *Mol Cell Probes*, 13, 213.
77. Brandis JW. (1999) Dye structure affects Taq DNA polymerase terminator selectivity. *Nucleic Acids Res*, 27, 1912.

78. Xu XH, Yeung ES. (1998) Long-range electrostatic trapping of single-protein molecules at a liquid-solid interface. *Science*, 281, 1650.
79. Brunner A, Minamitake Y, Gopferich A. (1998) Labelling peptides with fluorescent probes for incorporation into degradable polymers. *Eur J Pharm Biopharm*, 45, 265.
80. Ota N, Hirano K, Warashina M, Andrus A, Mullah B, Hatanaka K, Taira K. (1998) Determination of interactions between structured nucleic acids by fluorescence resonance energy transfer (FRET): selection of target sites for functional nucleic acids. *Nucleic Acids Res*, 26, 735.
81. Vergne I, Constant P, Laneelle G. (1998) Phagosomal pH determination by dual fluorescence flow cytometry. *Anal Biochem*, 255, 127.
82. Wiener EC, Konda S, Shadron A, Brechbiel M, Gansow O. (1997) Targeting dendrimer-chelates to tumors and tumor cells expressing the high-affinity folate receptor. *Invest Radiol*, 32, 748.
83. Gelmini S, Orlando C, Sestini R, Vona G, Pinzani P, Ruocco L, Pazzaglia M. (1997) Quantitative polymerase chain reaction-based homogeneous assay with fluorogenic probes to measure c-erbB-2 oncogene amplification. *Clin Chem*, 43, 752.
84. Wang Y, Killian J, Hamasaki K, Rando RR. (1996) RNA molecules that specifically and stoichiometrically bind aminoglycoside antibiotics with high affinities. *Biochemistry*, 35, 12338.
85. Vamosi G, Gohlke C, Clegg RM. (1996) Fluorescence characteristics of 5'-carboxytetramethylrhodamine linked covalently to the 5' end of oligonucleotides: multiple conformers of single-stranded and double-stranded dye-DNA complexes. *Biophys J*, 71, 972.
86. Geoghegan KF. (1996) Improved method for converting an unmodified peptide to an energy-transfer substrate for a proteinase. *Bioconjug Chem*, 7, 385.
87. Shimura K, Kasai K. (1995) Fluorescence-labeled peptides as isoelectric point (pI) markers in capillary isoelectric focusing with fluorescence detection. *Electrophoresis*, 16, 1479.
88. Tuschl T, Gohlke C, Jovin TM, Westhof E, Eckstein F. (1994) A three-dimensional model for the hammerhead ribozyme based on fluorescence measurements. *Science*, 266, 785.
89. Zhao JY, Diedrich P, Zhang Y, Hindsgaul O, Dovichi NJ. (1994) Separation of aminated monosaccharides by capillary zone electrophoresis with laser-induced fluorescence detection. *J Chromatogr B Biomed Appl*, 657, 307.
90. Geoghegan KF, Emery MJ, Martin WH, McColl AS, Daumy GO. (1993) Site-directed double fluorescent tagging of human renin and collagenase (MMP-1) substrate peptides using the periodate oxidation of N-terminal serine. An apparently general strategy for provision of energy-transfer substrates for proteases. *Bioconjug Chem*, 4, 537.
91. Rapaport D, Shai Y. (1992) Aggregation and organization of pardaxin in phospholipid membranes. A fluorescence energy transfer study. *J Biol Chem*, 267, 6502.
92. Lutz W, Londowski JM, Sanders M, Salisbury J, Kumar R. (1992) A vasopressin analog that binds but does not activate V1 or V2 vasopressin receptors is not internalized into cells that express V1 or V2 receptors. *J Biol Chem*, 267, 1109.
93. Lutz W, Sanders M, Salisbury J, Kumar R. (1990) Internalization of vasopressin analogs in kidney and smooth muscle cells: evidence for receptor-mediated endocytosis in cells with V2 or V1 receptors. *Proc Natl Acad Sci U S A*, 87, 6507.
94. Ammermuller J, Guiloff G, Normann R, Kolb H. (1990) A 'puff and advance' technique for visually controlled staining of turtle retinal ganglion cells. *J Neurosci Methods*, 32, 235.
95. Lutz WH, Londowski JM, Kumar R. (1990) The synthesis and biological activity of four novel fluorescent vasopressin analogs. *J Biol Chem*, 265, 4657.
96. Pagliaro L, Kerr K, Taylor DL. (1989) Enolase exists in the fluid phase of cytoplasm in 3T3 cells. *J Cell Sci*, 94 (Pt 2), 333.
97. Edmundson AB, Ely KR, Herron JN. (1984) A search for site-filling ligands in the Mcg Bence-Jones dimer: crystal binding studies of fluorescent compounds. *Mol Immunol*, 21, 561.